
# **UMBROSA**



# VERSIONS




## POSITIONS




# COLORS



#### DIMENSIONS



## ROUND SUPPORT AND POLE OPTIONS



For non-permanent base options – see spec sheet Installation Options



#### **MATERIALS**





FABRIC

Solidum – 100% Acryl 255 gr/m<sup>2</sup> Sunbrella – 100% Acryl 260 gr/m<sup>2</sup> More details – see spec sheet Fabrics



RIBS

Naturally anodized aluminum profiles



POLE

Naturally anodized aluminum

#### OTHER MATERIALS

Grip: PA6 30% Glass fiber Gear plates of stainless steel Umbrella parts: PA6 Hinges: marine grade, stainless steel (316)

For projects – consult Umbrosa for powder coating finish options (RAL). Contact us for the details on the MOQ.

#### PACKAGING & TRANSPORT

PARAFLEX	L (cm)	W (cm)	H (cm)	Weight (kg)	L (")	W (")	H (")	Weight (lbs)
Box classic holder 1,85m/6'11"	107,0	15,3	16,5	5,00	3'6"	6"	6"1/2	11.0
Box Neo holder 2m/6'6.7"	107,0	15,3	16,5	5,31	3'6"	6"	6"1/2	11.7
Box single pole 2,2m/7'3"	225,5	10,0	8,5	5,81	7'4"	4"	3"	12.8
Box multi pole 2,3m/7'6"	235,0	13,0	13,0	9,00	7'8"1/2	5"	5"	19.8
Umbrella	max. 190	15,0	15,0	2,62-4,06	Max 6'3"	6"	6"	5.7-8.9

#### NICE TO KNOW

- Spare parts available
- Designed and manufactured in Belgium
- Warranty between 15 and 2 years, see Warranty Sheet
- Download manual (QR-code included)
- Storage bag optional (PU coated fabric)
- Wind speeds up to 6 beaufort, 50 km/h, 31 mph when base is permanently fixed (for details, please check our pricelist)
- Tested at TU Delft

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. Of course we do our best to eliminate all mistakes, but Umbrosa is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.